SHELLS AND VESTS

FOR EVERY OCCASION...

TO KNIT AND CROCHET

New!
Instructions Included For
MATCHING SKIRTS

No. 8813
(Page 22)

VOL. 88 –60¢
Revised Edition

FLEISHER · *Bear Brand* · BOTANY

Style No. 8806—Shell and Skirt

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

		Size 12	Size 14	Size 16
MATERIALS: BUCILLA PARADISE, 1 oz. skein	**Shell** —	9 skeins	10 skeins	11 skeins
	Skirt —	9 skeins	10 skeins	11 skeins

KNITTING NEEDLES: "Boye" Nylon Circular Needle, Size 5 and 1 pair "Boye" Aluminum Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Aluminum Needles, Size 4.

GAUGE: Size 5 Needles —
Stockinette St — 6 sts = 1 inch 9 rows or rounds = 1 inch
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Shell — At bustline	inches	33	35	37
Width of back at underarm	inches	16½	17½	18½
Skirt — Width at lower edge	inches	40	42	44
At hipline	inches	36	38	40
At waistline	inches	26	28	30

SHELL

BACK—With size 4 needles, cast on 90 (96-102) sts for facing. P 1 row, k 1 row for 14 rows, end with k row.

Next row—turning ridge—wrong side —K 1, * yo, k 2 tog.; repeat from *, end k 1. K 1 row, p 1 row for 15 rows. † K 1 row on wrong side.

Next row—K 1, * yo, k 2 tog.; repeat from *, end k 1.
K 1 row.†

K next row increasing 10 sts evenly spaced across row; 100 (106-112) sts.

With size 5 needles, work even in stockinette st—p 1 row, k 1 row—until 10 ins. above inc. row or about 12 ins. above turning ridge, end with p row. Mark for underarm.

Armhole Facing and Armhole Shaping —Cast on 5 (5-5) sts at beg. of each of next 2 rows for armhole facing; 110 (116-122) sts.

Next row—K 4, hold yarn at back of work, slip 1 st as to p for turning st of facing, k 3, slip, k and pass—armhole dec.—, k to within 10 sts of end, k 2 tog.—armhole dec.—, k 3, slip 1 st as before for turning st, k 4.

P 1 row. Repeat last 2 rows 9 (9-10) times; 90 (96-100) sts.

Work even continuing the slip st on k rows after the first 4 sts and before the last 4 sts until about 5 (5-5¼) ins. above underarm marker, end with k row. Repeat the 3 rows between †'s once.

With size 4 needles, continuing the slip st on armhole facing as before, work 13 rows even, end with k row. Bind off 4 sts at beg. of each of next 2 rows.

Turning ridge—wrong side—K 1, * yo, k 2 tog.; repeat from *, end k 1.
Bind off 5 sts at beg. of each of next 2 rows; 72 (78-82) sts. Work 14 rows even. Bind off as to k.

FRONT—Work same as back.

FINISHING — Sew underarm seams. Turn back facings of neck and lower edge to wrong side and hem. Turn armhole facings to wrong side and hem. Sew side edge of neck facing to armhole facing. Tack turning ridge at neck of back and front for about 2 ins. on each side for shoulders, sewing neatly through each point. Block, see page 27.

SKIRT

Instructions are for skirt 24 ins. long. Make any necessary adjustment in length before first dec. round.
Cast on 240 (252-264) sts. Join with care not to twist on needle. Mark end of rounds. Work k 1, p 1 ribbing for 5 rounds. K around until 12½ ins. from beg.
First dec. round—* K 18 (19-20), k 2 tog.; repeat from * around; 228 (240-252) sts. K even until 17 ins. from beg., or 7 ins. less than desired blocked length.
2nd dec. round—hipline—* K 17 (18-19), k 2 tog.; repeat from * around; 216 (228-240) sts.
Continue to dec. 12 sts in a round every 1 in. 5 times, having 1 st less between decs. in each successive dec. round; 156 (168-180) sts. K even until 23 ins. from beg., or 1 in. less than desired finished length. P 1 round for turning ridge.
Hem dec. round—* K 11 (12-13), k 2 tog; repeat from * around; 144 (156-168) sts. K 7 rounds for facing. Bind off loosely.

FINISHING — Turn back facing along turning ridge and hem to wrong side, leaving a 1 in. opening to insert elastic. Block, stretching 1 in. in length, see page 27.

ADD-A-SKIRT: You can make a 2 Pc. Dress by adding a skirt to most of the knitted shells in this book. See pages 3, 17, 20 and 21.

Copyright MCMLXV in U.S.A. and Canada, Bernhard Ulmann Company

Style No. 8806

Worn as a Shell
or 2 Pc. Dress



Style No.
Sizes 10-12

Instructions are for size 10-12, changes for size 14
page 27.

MATERIALS: BUCILLA BROCADE,

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 6—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Steel Crochet Hook, Size 1

GAUGE: KNITTED GAUGE — 7 sts = 1 inch
BLOCKED GAUGE — 6 sts = 1 inch
To check gauge, see page 27.

Note: A swatch should be worked in pat. and blocked before beg. shell to make sure that your blocked gauge agrees with blocked gauge given above.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....
Width of back—armhole to armhole ....
Length from lower edge to underarm ....
Length from lower edge to shoulder .....
Width of each shoulder .....

Pattern is a multiple of 4 sts.

Row 1—wrong side—* K 2, p 2; repeat from * to end.

Row 2—* P 2, k 2; repeat from * to end.

Row 3—* P 2, k 2; repeat from * to end.

Row 4—* K 2, p 2; repeat from * to end.

Style No.
Sizes 12-14

Instructions are for size 12-14, changes for size 16
page 27.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* SOUFFLÉ

KNITTING NEEDLES: 1 pair "Boye" Needles Size 7,
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles Size 5.

GAUGE: Size 7 Needles — Stockinette St. — 9 sts
5 rows

To check gauge, see page 27.

MEASUREMENTS OF FINISHED GARMENT:
Width at bustline .....
Width of back at underarm .....

With size 5 needles cast on 69 (79) sts. P 1 row, k 1 row, p 1 row for hem facing.

Eyelet Row—right side—K 1, * yo, k 2 tog.; repeat from * to end. With size 7 needles p 1 row, k 1 row for 5 rows, end with p row. Inc. 1 st each side of next row; 71 (81) sts. P 1 row. Work eyelet row.

Repeat last 8 rows 5 times; 81 (91) sts.

8811 *(left)*
14-16

16 are in parentheses, *see body measurement chart,*

Size 10-12	Size 14-16
8 balls	9 balls

10 rows = 1 inch
9 rows = 1 inch

To fit	30-32 in. Bust	34-36 in. Bust
.....inches	34½	38½
.....inches	17¼	19¼
.....inches	14½	16
.....inches	11½	11
.....inches	19	19
.....inches	3½	4

Repeat these 4 rows for pat.

Note: Mark first row of each piece for wrong side.

BACK—Cast on 104 (116) sts. Work in pat. for 104 (98) rows—about 10½ (10) ins., to be blocked to 11½ (11) ins.—end on right side with pat. row 4 (2). Mark for underarm.

(Continued on Page 10)

8822 *(right)*
and 16-18

18 are in parentheses, *see body measurement chart,*

Size 12-14	Size 16-18
3 balls	4 balls

= 2 inches
= 1 inch

To fit	32-34 in. Bust	36-38 in. Bust
.....inches	36	40
.....inches	18	20

P 1 row, k 1 row for 7 rows, end with p row. Work eyelet row. Work 3 (1) rows more; 59 (57) rows—about 12 (11½) ins. above first eyelet row. Mark for underarm.

NOTE: Extra length of armhole for larger size compensates for difference in length to underarm.

Armholes—Bind off 4 (5) sts at beg. of next 2 rows. Dec. 1 st each side of

(Continued on Page 25)



Style No. 8817 (*left*)

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart*, page 27.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* SOUFFLÉ

Size 12	Size 14	Size 16
4 balls	4 balls	5 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4

GAUGE: Size 5 Needles — 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Width at bustline	inches	33	35	37
Width of back at underarm	inches	16½	17½	18½

BACK—With size 4 needles, cast on 82 (88-94) sts for facing of hem. P 1 row, k 1 row for 4 rows. K next row on wrong side for turning ridge, inserting needle into back loop of each st. Work in stockinette st—k 1 row, p 1 row—for 5 rows. K next row on wrong side for ridge at top of hem, inserting needle into back loop of each st. With size 5 needles continue in stockinette st—k 1 row, p 1 row—until 11¾ ins. above turning ridge. Mark for underarm.

Armholes—Bind off 5 (6-7) sts at beg. of next 2 rows for underarm. Dec. 1 st each side every 2nd row 3 (4-5) times; 66 (68-70) sts. Work even until armhole measures 4 (4¼-4½) ins. above marker, end with a k row.

Divide for Neck—P 21 (22-23) sts, place these sts on holder for left side; p next 24 sts and place them on a separate holder for neck; p to end, 21 (22-23) sts for right side.

Right Side—Continue in stockinette st, decreasing 1 st at neck edge every row 8 times. Work even until armhole measures 6¾ (7-7¼) ins. above marker, end on wrong side at armhole edge.

Shoulder—Bind off 6 (7-8) sts, finish row. Work 1 row even. Bind off 7 sts.

Left Side—From wrong side slip sts from holder to size 5 needle. From right side join yarn at neck edge, complete to correspond to right side.

FRONT—Work same as back.

NECK BORDER and FACING—BACK — Join yarn at back neck edge at right shoulder; from right side, with size 4 needle pick up and k 20 sts on right neck edge, take up and k 24 sts from holder, pick up and k 20 sts on left neck edge to shoulder; 64 sts. K next row on wrong side for ridge, inserting needle in back loop of each st. K 1 row, p 1 row for 5 rows. K next row on wrong side for turning ridge, inserting needle in back loop of each st. K 1 row, p 1 row, k 1 row, p 1 row. Bind off loosely.

FRONT—Join yarn at neck edge at left shoulder and work same as for back. Sew shoulder seams, sewing side edges of neck hems tog.

ARMHOLE BORDER and FACING—From right side, join yarn at underarm edge, pick up and k 78 (82-86) sts around armhole. Finish same as for neck.

FINISHING — Sew underarm seams. Turn back all facings along turning ridges and hem to wrong side. Soufflé needs no blocking, see page 27.

Style No. 8818 (*right*)

Instructions are for sizes 12, 14, 16, 18, *see body measurement chart*, page 27.

	Sizes	**12**	**14**	**16**	**18**
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* SOUFFLÉ	balls	3	3	4	4
KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—OR SIZE YOU REQUIRE TO OBTAIN GAUGE. "Boye" Hook, Size E (2).					
GAUGE: 5 sts = 1 inch **7 rows = 1 inch** To check gauge, see page 27.					
MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**	**38 in. Bust**
Width at bustline	inches	35	36½	38	40
Width of back at underarm	inches	17½	18¼	19	20
BACK—With size 5 needles, cast on	sts	87	91	95	100
Work stockinette st—p 1 row, k 1 row—until 11 ins. from beg., end with p row. Mark for underarm.					
Armholes—Bind off at beg. of each of next 2 rows	sts	5	5	6	8
Dec. 1 st each side every 2nd row 5 times	sts	67	71	73	74
Work even until armhole measures above underarm marker	ins.	5¼	5¼	5½	5½
end with p row.					
Divide for Neck—K and place on strand of yarn for right half	sts	24	26	27	27
bind off for neck edge	sts	19	19	19	20
finish row	sts	24	26	27	27

(Continued on Page 25)

INSTRUCTIONS FOR SKIRTS TO WEAR WITH THESE SHELLS ON PAGES 20 AND 21.

Style No. 8829—Vest
Style No. 8830—Beret *(See page 22)*

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for sizes 14-16 are in parentheses.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY Machine Washable SOUFFLÉ,** 5 (5) balls,
or BEAR BRAND, FLEISHER'S or BOTANY Machine Washable WINSOM†, 2 oz. skeins, 4 (5) skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL"
or BOTANY SCOTTIE, 2 oz. balls, 4 (5) balls.

CROCHET HOOK: Plastic Crochet Hook, Size E (2) — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 2 shells = 1 inch **2 rows = 1 inch** To check gauge, see page 27.

MEASUREMENTS OF FINISHED GARMENT: Width at bustline .....36 (40) inches
Width of back at underarm .....18 (20) inches

Vest

BACK—Ch 72 (80). Work 1 sc in 2nd ch from hook and 1 sc in each st to end of ch; 71 (79) sc. Ch 3, turn.

Pattern—Row 1—Work 1 hdc as follows; yo hook, insert hook in first sc and draw up a loop, yarn over and draw through all 3 loops on hook; * skip 1 sc, work 1 hdc in next sc, ch 1, 1 hdc in same sc—a shell pat.; repeat from * to end; 36 (40) shell pats. Ch 3, turn.

Mark row 1 for right side of work.

NOTE—The turning ch and hdc at beg. of every row is the first shell pat. and is included in the number of shells in row.

Row 2—Work 1 hdc in ch-1 space of first shell from hook; * work 1 hdc in ch-1 space of next shell, ch 1, 1 hdc in same ch-1 space—a shell pat.; repeat from * across row, end 1 shell in last space; 36 (40) shells.

Work even until 37 rows of shells—about 18 ins. from beg.—end with a row worked on right side. Mark for underarm. Ch 1, turn.

Armholes—Work 1 slip st in each of first 9 sts—3 shells; ch 3, work 1 hdc in ch-1 space of next shell, work 29 (33) shells—3 (3) shells left off at each side for underarm; 30 (34) shells. Ch 3, turn.

First Dec. Row—Work 1 hdc in first ch-1 space of first shell, * yo hook, insert hook in ch-1 space of next shell and draw up a loop—3 loops on hook; yo and draw through 2 loops; yo, insert hook in ch-1 space of next shell, yo and draw up a loop—4 loops on hook, yo and draw through 2 loops, —3 loops on hook, yo and draw through 3 loops; ch 1, work 1 hdc in same ch-1 space as last st—1 shell decreased *; work 24 (28) shells; repeat between *'s once, work last shell. Ch 3, turn.

Next Row—Work 1 hdc in first shell, work 27 (31) shells. Ch 3, turn.

2nd Dec. Row—Work 1 hdc in first shell; repeat between *'s of first dec. row once, work 22 (26) shells; repeat between *'s of first dec. row once, work last shell. Ch 3, turn.

Next Row—Work 1 hdc in first shell, work 25 (29) shells. Ch 3, turn.

3rd Dec. Row—Work 1 hdc in first shell, repeat between *'s of first dec. row once, work 20 (24) shells; repeat between *'s of first dec. row once, work last shell. Ch 3, turn.

Next Row—Work 1 hdc in first shell, work 23 (27) shells; 24 (28) shells. Ch 3, turn.

(FOR SIZE 14-16 ONLY—4th dec. row—Work 1 hdc in first shell, repeat between *'s of first dec. row once, work 22 shells; repeat between *'s of first dec. row once, work last shell. Ch 3, turn.

Next Row—Work 1 hdc in first shell, work 25 shells; 26 shells. Ch 3, turn.)

FOR BOTH SIZES—Work 6 (6) more rows even, end with row worked on wrong side. Ch 1, turn.

SHOULDER SHAPING—Row 1—Work 1 slip st in each of first 9 (12) sts—3 (4) shells; Ch 3, work 1 hdc in ch-1 space of next shell, work 17 (17) shells; 3 (4) shells left off at each side for shoulders; 18 (18) shells. Ch 1, turn.

Row 2—Work 1 slip st in each of first 9 sts—3 shells; ch 3, work 1 hdc in next shell, work 11 (11) shells. Fasten off.

LEFT FRONT—Ch 34 (38).

Work 1 sc in 2nd ch from hook and 1 sc in each st to end of ch; 33 (37) sc. Ch 3, turn.

PATTERN—Row 1—work same as pat. row 1 of back; 17 (19) shells, Ch 3, turn.

Work even as pat. row 2 of back until 37 rows of shells from beg., end at underarm edge with a row worked on right side. Ch 1, turn.

ARMHOLE—Work 1 slip st in each of first 9 sts—3 shells left off for underarm; ch 3, work 1 hdc in next shell, work 13 (15) shells; 14 (16) shells. Ch 3, turn.

Dec. Row—Work to within 3 shells of end, repeat between *'s of first dec. row of back once, work last shell; 13 (15) shells. Ch 3, turn.

Keeping front edge even, with care to keep pat., repeat dec. at armhole edge every 2nd row 2 (3) more times, end at armhole edge; 11 (12) shells. Ch 3, turn.

Neck Shaping—Row 1—Work to within 3 shells of front edge, dec. 1 shell as before, work last shell; 10 (11) shells.

Ch 3, turn. Keeping armhole edge even, repeat neck dec. every 2nd row 4 (4) more times; 6 (7) shells. Ch 3, turn. Work even until armhole is same number of rows as back, end at armhole edge. Ch 1, turn.

Shoulder Shaping—Work 1 slip st in each of first 9 (12) sts—3 (4) shells; ch 3, work 1 hdc in next ch-1 space, work last 2 shells. Fasten off.

RIGHT FRONT—Ch 34 (38). Work same as left front to underarm, end at front edge with row worked on right side. Ch 3, turn.

Armhole—Work 14 (16) shells. Ch 3, turn—3 (3) shells left off for underarm.

Dec. Row—Work 1 hdc in first shell, repeat between *'s of first dec. row of back once, finish row.

Keeping front edge even, repeat dec: at armhole edge every 2nd row 2 (3) times, end at front edge; 11 (12) shells. Ch 3, turn.

Neck Shaping—Row 1—Work 1 hdc in first shell, dec. 1 shell as before, work to end; 10 (11) shells. Complete to correspond to left front.

FINISHING—Sew shoulder and underarm seams.

CROCHETED BORDER — Row 1 — Join yarn at center back of neck from right side work 12 (12) sc on neck edge to shoulder seam, 1 sc in each space along left front edge to lower edge, 1 sc in each st of ch along lower edge, 1 sc in each space along right front edge to shoulder, 12 (12) sc on neck edge. Join with slip st.

Row 2—Working very loosely, from right side, work 1 sl st in first st, * ch 1, 1 sl st in next st; repeat from * around entire vest to center back of neck. Join with a sl st. Fasten off.

(Continued on Page 22)



Style No. 8801

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* WINSOM†, 2 oz. skeins	3 skeins	4 skeins	4 skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL" or BOTANY SCOTTIE, 2 oz. balls	3 balls	4 balls	4 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size F (4).

GAUGE: 5 sts = 1 inch **7 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
At bustline	inches	34	36	38
Width of back at underarm	inches	17	18	19

BACK—Cast on 69 (73-77) sts.

Row 1—wrong side—P 1, * k 1, p 1; repeat from * to end.

Row 2—K 1, * p 1, k 1; repeat from * to end.

Repeat these 2 rows for ribbing for 3 ins., end with row 1.

Inc. row—right side—Work 6 (8-10) sts, k 3, * inc. 1 st in next st, k 2; repeat from * 17 times, work 6 (8-10) sts; 87 (91-95) sts.

Pattern—Row 1—Work 6 sts in ribbing, p 75 (79-83) sts, work 6 sts in ribbing.

Row 2—Work 6 sts in ribbing, k 75 (79-83) sts, work 6 sts in ribbing.

Repeat these 2 rows for pat. until 15 (15¼-15½) ins. above ribbing, end on right side.

Shoulder Shaping—Bind off 6 (7-8) sts at beg. of each of next 2 rows; 6 sts at beg. of each of next 8 rows; 27 (29-31) sts. Work ribbing as on lower edge for 1 in. Bind off loosely in ribbing.

FRONT—Work same as for back until 13½ (13¾-14) ins. above ribbing, end on wrong side.

Divide for Neck—Work 37 (39-41) sts, place on holder for left side; k and place next 13 sts on holder for neck; work 37 (39-41) sts for right side. Dec. 1 st at neck edge every row 4 times; every 2nd row 3 (4-5) times, shaping shoulder as on left side of back when armhole is same length.

Take up 37 (39-41) sts of left side from holder, join yarn at neck edge. Finish to correspond to right side. Do not break yarn.

NECK RIBBING—Beg. at left side of neck, pick up and k 17 (18-19) sts on left neck edge; take up and k 13 sts on front neck; pick up and k 17 (18-19) sts on right neck edge; 47 (49-51) sts. Work ribbing as on back for 1 in. Bind off loosely.

FINISHING—Sew shoulder seams. Beg. at lower edge, sew underarm seams, leaving 6½ (6¾-7) ins. free for armholes. Join yarn at underarm seam, working from right side, work 1 sc in every 2nd row around armholes, join. Fasten off. Steam lightly, see page 27.

INSTRUCTIONS FOR SKIRT TO WEAR WITH THIS SHELL ON PAGE 20.

Style No. 8811 *(Continued from Page 5)*

Note: Extra length of armholes compensates for difference in length to underarm.

Armholes—Bind off 4 (6) sts at beg. of each of next 2 rows; 96 (104) sts. Work 1 row even.

Dec. row—With care to keep pat., work first 2 sts, work next 2 sts tog., work to within 4 sts of end, work next 2 sts tog., work last 2 sts; 94 (102) sts.

With care to keep pat., repeat last 2 rows 3 times; 88 (96) sts. Work even in pat. until 42 (48) rows above marker, end on right side.

Neck Shaping — Work 26 (28) sts, place on holder for left side, bind off 36 (40) sts for neck, work remaining 26 (28) sts.

Right Side — With care to keep pat., dec. 1 st at neck edge in same manner as for armhole shaping, every 2nd row 4 times; 22 (24) sts. Work even for 17 rows.

Bind off for shoulder.

Left Side — Slip sts from holder to needle. Join yarn at neck edge and complete to correspond to right side, reversing shaping.

FRONT—Work same as back.

FINISHING — Block pieces to measurements, see page 27. Sew side and shoulder seams.

Work 1 row sc around neck, armholes and lower edge, with care to keep work flat.

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8827

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* WINSOM†, 2 oz. skeins	4 skeins	4 skeins	5 skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL" or BOTANY SCOTTIE, 2 oz. balls	4 balls	4 balls	5 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: Size 8 Needles — 5 sts = 1 inch 7 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS OF FINISHED GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
Width of back at underarm	inches	16	17	18
Width of each front at underarm, hemmed	inches	9	9½	10

BACK—With size 6 needles, cast on 80 (84-88) sts for waistband. K all rows for garter st until 29 rows—about 2½ ins.—from beg., casting on 4 sts at end of last row for right underarm facing, end with row worked on wrong side. Mark for end of waistband. With size 8 needles, k next row; cast on 4 sts at end of row for left underarm facing; 88 (92-96) sts.

Next row—wrong side—K 4 for garter st facing, p to within 4 sts of end, k 4 for garter st facing.

K 1 row. Repeat last 2 rows until 15 (15¼-15½) ins. above waistband, end on wrong side.

Shoulder Shaping—Bind off 10 sts at beg. of each of next 2 rows; 5 sts at beg. of each of next 4 rows; 5 (6-7) sts at beg. of each of next 4 rows; 28 sts. Bind off.

LEFT FRONT—With size 6 needles, cast on 51 (54-57) sts.

Row 1—wrong side—K.

Row 2—K to within 7 sts of end, with yarn at back, slip 1 st as to p for turning st, k 6 for front facing.

Repeat these 2 rows for waistband until same length as waistband of back, end on wrong side at underarm edge; cast on 4 sts at end of last row for underarm facing; 55 (58-61) sts. Mark for end of waistband.

With size 8 needles, k all sts.

Next row—wrong side—K 6 for garter st front facing, p to within 4 sts of end, k 4 for garter st underarm facing.

Repeat last 2 rows until 8 ins. above waistband, end at underarm edge.

Neck dec. row—right side—K to within 14 sts of end, k 2 tog., finish row.

(Continued on Page 24)

Style No. 8828

Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see measurement chart,* page 27.

	Size 12-14	Size 16-18
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY Machine Washable WINSOM†, 2 oz. skeins,	6 skeins	6 skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL" or BOTANY SCOTTIE, 2 oz. balls	6 balls	6 balls

KNITTING NEEDLES: 1 Pair "Boye" Needles, Size 9 — OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 Pair "Boye" Needles, Size 6.
Stitch Holders.

GAUGE: Size 9 Needles — 9 sts = 2 inches 6 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS OF FINISHED GARMENT:	**To fit**	**34 in. Bust**	**38 in. Bust**
Width of bustline	inches	38½	42½
Width of back at underarm	inches	18½	20½

BACK—With size 6 needles, cast on 86 (94) sts.

Ribbing—Row 1—wrong side—K 2, * p 2, k 2; repeat from * to end.

Row 2—P 2, * k 2, p 2; repeat from * to end.

Repeat these 2 rows until 5 rows from beg., decreasing 1 st each side of last row, end on wrong side; 84 (92) sts.

With size 9 needles, work St. st—k 1 row, p 1 row—for 122 (120) rows—about 20¼ (20) ins.—above ribbing, end with p row. Mark for underarm.

Note: Extra length to underarm on size 12-14 is compensated for in depth of armhole.

Armholes—Bind off 8 (9) sts at beg. of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 6 (7) times; 54 (58) sts. Work even until 44 (46) rows—about 7¼ (7½) ins.—above underarm marker, end with p row.

Shoulders—Bind off 3 (4) sts at beg. of next 4 rows; 3 sts at beg. of next 3 rows.

Row 8—Bind off 3 sts, with 1 st on needle, p 4, * p 2 tog., p 4; repeat from * twice, p 2 tog., p to end; 26 sts. Bind off.

LEFT FRONT—With size 6 needles, cast on 56 (60) sts.

Row 1—P 8, * k 2, p 2; repeat from * to end.

Row 2—right side—*K 2, p 2; repeat from * to within 8 sts of end, with yarn at back, sl next 2 sts as to p for turning sts, k 6 for facing.

Repeat last 2 rows until 5 rows from beg., end on wrong side.

(Continued on Page 24)

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8828

Style No. 8827

Style No

Sizes 12-

Instructions are for size 12-14, changes for size 16
page 27.

MATERIALS: **BEAR BRAND or FLEISHER'S "WOOL a**
WOOL", or BOTANY SCOTTIE, 2 oz. b
or BEAR BRAND, FLEISHER'S or BOTANY
Machine Washable WINSOM†, 2 oz. sk

KNITTING NEEDLES: 1 pair each, "Boye" Needles, Siz
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Hook, Size F (4).

GAUGE: 4 sts = 1 inch **5 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....

NOTE: Work first row of pat. with size 5 needle and 2nd row with size 11 needle as specified in pat.

BACK—With size 5 needles, cast on 73 (81) sts.

Ribbing—Row 1—wrong side—K 1, * p 1, k 1; repeat from * to end.

Row 2—P 1, * k 1, p 1; repeat from * to end.

Repeat rows 1 and 2 once; repeat row 1 again.

Style No.

Sizes 12-1

Instructions are for size 12-14, changes for size 16-
page 27.

MATERIALS: **FLEISHER'S or BEAR BRAND "WOOL a**
WOOL", or BOTANY SCOTTIE, 2 oz. ba
or BEAR BRAND, FLEISHER'S or BOTANY
Machine Washable WINSOM†, 2 oz. sk

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 9—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: Size 9 Needles — 9 sts = 2 inches **6 r**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:
Width at bustline .....
Width of back at underarm .....

BACK—With size 6 needles, cast on 74 (82) sts. Work k 1, p 1 ribbing for 2½ ins., increasing 10 sts evenly spaced across last row; 84 (92) sts.

With size 9 needles, work stockinette st —k 1 row, p 1 row—until 11 ins. above ribbing, end with p row. Mark for underarm.

. 8810 *(left)*

14, 16-18

-18 are in parentheses, *see body measurement chart,*

	Size 12-14	Size 16-18
nd SHETLAND alls	3 balls	3 balls
eins	3 skeins	3 skeins

es 11 and 5—

To fit	32-34 in. Bust	36-38 in. Bust
.....inches	36½	40½
.....inches	18¼	20¼

Pattern—Row 1—right side—With size 5 needle, k in back loop of each st to end.

Row 2—With size 11 needle, p.

Repeat last 2 rows for pat. until 50 rows—about 10 ins. above ribbing, end on wrong side. Mark for underarm.

Armholes—Bind off 5 sts at beg. of each of next 2 rows.

Dec. row—K 1, slip, k and pass, work to within 3 sts of end, k 2 tog., k 1.

(Continued on Page 23)

8804 *(right)*

4, 16-18

18 are in parentheses, *see body measurement chart,*

	Size 12-14	Size 16-18
id SHETLAND alls	4 balls	5 balls
eins	4 skeins	5 skeins

ows = 1 inch

To fit	32-34 in. Bust	36-38 in. Bust
.....inches	37	41
.....inches	18½	20½

Armholes—Dec. row—right side—K 1, p 1, k 1, p 1, slip, k and pass, k to within 6 sts of end, k 2 tog., p 1, k 1, p 1, k 1.

Next row—P 1, k 1, p 1, k 1, p to within 4 sts of end, k 1, p 1, k 1, p 1.

Repeat last 2 rows 9 (11) times; 64 (68) sts.

(Continued on Page 23)

WITH THESE STYLES ON PAGE 20.

Style No. 8809 (*left*)
Sizes 12-14, 16-18

Instructions are for size 12-14, changes for size 16-18 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: **BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL", or BOTANY SCOTTIE,** 2 oz. balls — Size 12-14: 3 balls; Size 16-18: 3 balls
or BEAR BRAND, FLEISHER'S or BOTANY Machine Washable WINSOM†, 2 oz. skeins — Size 12-14: 3 skeins; Size 16-18: 3 skeins

CROCHET HOOK: "Boye" Hook, Size G (5)—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 4 meshes = 2 inches **4 rows = 2 inches**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	To fit	32-34 in. Bust	36-38 in. Bust
Width at bustline	inches	36	40
Width of back at underarm	inches	18	20

BACK—Ch 75 (83).

NOTE: Mark first row of all pieces for wrong side.

Pattern—Row 1—wrong side—Work 1 hdc in 3rd st from hook—a mesh formed—, * ch 1, skip 1 ch, work 1 hdc in next ch; repeat from * to end of ch; 37 (41) meshes.

Row 2—Ch 2, turn; work 1 hdc in first ch-1 space—a mesh—, * ch 1, 1 hdc in next ch-1 space; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 37 (41) meshes.
Repeat row 2 until 21 rows—about 10 ins. from beg., end on wrong side. Mark for beg. of armholes.

Divide for Back Neck Opening—right side—Ch 2, turn; work 18 (20) mesh for right half of back.
Repeat last row until 13 rows—about 6 ins. above armhole marker, end on right side at neck edge.—34 rows from beg.—about 17 ins.

Neck Shaping—Ch 1, turn; work 1 sc in first mesh, 1 sc in each of next 7 mesh, ch 2, work 1 hdc in next mesh, * ch 1, work 1 hdc in next mesh; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 10 (12) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * 8 (10) times.
Repeat last row once, end at armhole edge. Fasten off.

Left Half of Back—Beg. at center back, from right side, skip center mesh, join yarn in next hdc, ch 2, work 1 hdc in next mesh, * ch 1, work 1 hdc in next mesh; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 18 (20) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * to end.
Repeat last row until 13 rows above armhole marker, end on right side at armhole edge.

(Continued on Page 23)

Style No. 8816 (*right*)—*Shell and Gored Skirt*
Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* SOUFFLÉ**

	Size 12	Size 14	Size 16
Shell — Color A —	1 ball	1 ball	1 ball
Color B —	3 balls	4 balls	4 balls
Skirt — Color A —	6 balls	7 balls	8 balls

KNITTING NEEDLES: "Boye" Nylon Circular Needle, Size 5 and 1 pair "Boye" Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4.

GAUGE: Size 5 Needles—Stockinette St—5 sts = 1 inch
7 rows or rounds = 1 inch
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	To fit	32 in. Bust	34 in. Bust	36 in. Bust
Shell — Width at bustline	inches	35	37	39
Width of back at underarm	inches	17½	18½	19½
Skirt — Width at waistline	inches	26	28	30
Width at lower edge	inches	72	72	76

BACK—With size 4 needles and A, cast on 87 (93-97) sts. Work stockinette st—p 1 row, k 1 row—for 1 in. for facing, end with k row.

Turning Ridges—wrong side—K 1 row. P 1 row. K 1 row.
Work stockinette st—k 1 row, p 1 row—for 1 in., end with p row.

Border Ridges—right side—P 1 row. K 1 row. Break A.
With size 5 needles and B, beg. with a k row, work stockinette st until 14 ins. above border, end on wrong side. Mark for underarm.

Armhole Shaping—Row 1—K 1, slip, k and pass, k to within 3 sts of end, k 2 tog., k 1; 85 (91-95) sts.

Row 2—P.
Repeat last 2 rows 7 (9-10) times; 71 (73-75) sts. Work even until 7½ (7¾-8) ins. above marker, end on wrong side.

Shoulder Shaping — Bind off 6 sts at beg. of each of next 6 rows; 5 (6-7) sts at beg. of each of next 2 rows. Break B. Join A.

(Continued on Page 21)

FOR CHOICE OF OTHER YARNS REFER TO INTERCHANGEABLE CHART ON PAGE 26.

Style No. 8821 ***Style No. 8802***

Style No. 8821

Sizes 10-12, 14-16

Instructions are for size 10-12, changes for sizes 14-16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: **BEAR BRAND, FLEISHER'S or BOTANY** ***Machine Washable*** **WINSOM†,** 2 oz. skeins
or BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL" or BOTANY SCOTTIE, 2 oz. balls

	Size 10-12	Size 14-16
Color A —	3 skeins or balls	3 skeins or balls
Color B —	1 skein or ball	1 skein or ball
Color C —	1 skein or ball	1 skein or ball

KNITTING NEEDLES: 1 pair "Boye" Needles Size 9—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.

GAUGE: 9 sts = 2 inches **6 rows = 1 inch**
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:	**To fit**	**30-32 in. Bust**	**34-36 in. Bust**
Width at bustline	inches	36	40
Width of back at underarm	inches	18	20

(Continued on Next Page)

Style No. 8821 (Continued from Page 18)

BACK—With A, cast on 82 (90) sts.

Rows 1, 3 and 5—wrong side—P 3, * k 4, p 4; repeat from *, end last repeat p 3.

Rows 2, 4 and 6—K 3, * p 4, k 4; repeat from *, end last repeat k 3.

Row 7—Same as row 1. Drop A.

NOTE—Carry yarn not in use loosely along edge.

†Row 8—With B, k.

NOTE—K all sts on first row of each new color stripe.

Row 9—With B, same as row 1.

Row 10—With B, same as row 2.

Row 11—With B, same as row 1. Drop B.

With care to keep pat. as established, work 2 rows each of C—B—A—B—C, 4 rows each of B—A—B—C—B †, 8 rows of A. Repeat between †'s once. Continuing pat., with A, work 2 ins., end on wrong side. Mark for underarm.

Armholes—Bind off 4 (5) sts at beg. of next 2 rows. With care to keep pat., dec. 1 st each side every 2nd row 6 (7) times; 62 (66) sts. Work even until 5 (5½) ins. above underarm marker, end on wrong side.

Neck and Shoulder Shaping—Work 23 (25) sts, place on holder for right side, bind off 16 sts for neck, work remaining 23 (25) sts.

Left Side—With care to keep pat., keeping armhole edge even, dec. 1 st at neck edge every 2nd row 6 times, end on right side at armhole edge. Bind off 5 (6) sts at beg. of next row for shoulder. Dec. 1 st at beg. of next row at neck edge. Bind off 5 (6) sts at beg. of next row. Work 1 row even. Bind off remaining 6 sts.

Right Side—From right side, slip sts from holder to needle. From wrong side, join A at neck edge and complete to correspond to left side, reversing shaping.

NECKBAND—From right side, beg. at right shoulder with A, pick up and k 49 sts evenly spaced along neck edge to left shoulder. P 1 row, k 1 row for 7 rows. Bind off as to k.

FRONT—Work same as for back.

FINISHING — Sew shoulder and neckband seams.

ARMHOLE BANDS — From right side, beg. at underarm with A, pick up and k 72 sts evenly spaced around armhole. Complete same as for neckband.

Matching stripes, sew side seams. Steam, see page 27. Allow neck and armhole bands to roll to right side as illustrated.

Style No. 8802 (Shown on Page 18)

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY SUPRA MOHAIR,	5 balls	5 balls	6 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 10½—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 6.

GAUGE: Size 10½ Needles — 7 sts = 2 inches 9 rows = 2 inches
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	**To fit**	**32 in. Bust**	**34 in. Bust**	**36 in. Bust**
At bustline	inches	35¼	37½	40
Width of back at underarm	inches	17	18¼	19¼

BACK—With size 6 needles, cast on 60 (64-68) sts. Work k 2, p 2 ribbing for 3 ins., end on wrong side.

With size 10½ needles, work stockinette st—k 1 row, p 1 row—until 7½ ins. above ribbing, end with k row. Mark for underarm.

Armholes—Bind off 3 sts at beg. of each of next 2 rows. Dec. 1 st each side every 2nd row 5 (6-7) times; 44 (46-48) sts. Work even until 7½ (7¾-8) ins. above marker, end with k row.

Shoulder Shaping—Bind off 4 sts at beg. of each of next 4 rows; 3 (4-5) sts at beg. of next row; 25 (26-27) sts.

Next row—Bind off first 2 (3-4) sts, loosen loop on right needle and pass ball of yarn through it binding off 3rd (4th-5th) st; k 1, * inc. 1 st in next st, k 1; repeat from *, end last repeat k 2; 32 sts.

NECK RIBBING—With size 6 needles, work k 2, p 2 ribbing for 5½ ins. Bind off loosely in ribbing.

FRONT—With size 6 needles, cast on 64 (68-72) sts. Work same as back until 5 (5½-5¾) ins. above underarm marker, end with p row; 48 (50-52) sts.

Divide for Neck Shaping—K 17 (18-19) sts, place on holder for left side, k 1, * inc. 1 st in next st, k 1; repeat from * 5 times, k 1; place these 20 sts on holder for neck, k to end for right

(Continued on Page 21)

Straight Line Skirt

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* SOUFFLÉ	4 balls	5 balls	5 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4.

GAUGE: Size 5 Needles — 5 sts = 1 inch 7 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS OF FINISHED SKIRT:

Width around lower edge ..... inches	41½	43½	45½
Width at waistline ..... inches	27	29	31

Instructions are for skirt 24 ins. long. Make any necessary adjustment in length before first dec. row.

BACK—With size 4 needles, cast on 104 (108-114) sts for hem facing. P 1 row, k 1 row for 8 rows. K next row from wrong side inserting needle in back of each st for turning ridge. With size 5 needles, continue stockinette st —k 1 row, p 1 row—until 18 ins. above turning ridge, end on wrong side.

First Dec. row—K 1, slip, k and pass, k 30 (31-33), slip, k and pass, place marker on right needle, k 1, k 2 tog., k 29 (31-33), slip, k and pass, place marker on right needle, k 1, k 2 tog., k 29 (30-32), k 2 tog., k 1; 98 (102-108) sts.
Work 5 rows even.

2nd Dec. row—K 1, slip, k and pass, * k to within 2 sts of marker, slip, k and pass, slip marker, k 1, k 2 tog.; repeat from * once, k to within 3 sts of end, k 2 tog., k 1; 92 (96-102) sts.
Repeat 2nd dec. row every 6th row 4 times; 68 (72-78) sts. Work even until 24 ins. above turning ridge, end on right side. K next row for turning ridge as before. K 1 row, p 1 row for 6 rows for facing. Bind off.

FRONT—Work same as back.

FINISHING—Sew side seams. Turn back facings along turning ridge and hem to wrong side, leaving 1 in. opening at waist to insert elastic.
Soufflé requires no blocking, see page 27.

Straight Line Skirt

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

	Size 12	Size 14	Size 16
MATERIALS: BEAR BRAND or FLEISHER'S "WOOL and SHETLAND WOOL" or BOTANY SCOTTIE, 2 oz. balls	5 balls	5 balls	5 balls
or BEAR BRAND, FLEISHER'S or BOTANY Machine Washable WINSOM†, 2 oz. skeins	5 skeins	5 skeins	5 skeins

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 8—
OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
"Boye" Needles, 1 pair Size 6.

GAUGE: Size 8 Needles — 5 sts = 1 inch 7 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS FOR BLOCKING:

Width at lower edge ..... inches	38	40	42
At hipline ..... inches	36	38	40
At waistline ..... inches	26	28	30

Instructions are for skirt 24 ins. long. Make any necessary adjustment in length before first dec. row.

BACK—With size 6 needles, cast on 96 (101-106) sts for hem facing. P 1 row, k 1 row for 6 rows. K next row on wrong side inserting needle in back of each st for turning ridge. With size 8 needles, work stockinette st—k 1 row, p 1 row—until 17 ins. above turning ridge, end with p row.

First dec. row—K 1, k 2 tog., k 22 (23-25) sts, slip, k and pass, place marker on right needle, k 1, k 2 tog., k 36 (39-40) sts, slip, k and pass, place marker on right needle, k 1, k 2 tog., k 22 (23-25) sts, slip, k and pass, k 1; 90 (95-100) sts. Work 7 rows even, carrying up markers.

2nd dec. row—K 1, k 2 tog., * k to within 2 sts of marker, slip, k and pass, slip marker, k 1, k 2 tog.; repeat from * once, k to within 3 sts of end, slip, k and pass, k 1; 84 (89-94) sts. Repeat 2nd dec. row every 8th row 3 times; 66 (71-76) sts. Work even until 23 ins., or 1 in. less than desired finished length above turning ridge, end with k row. With size 6 needles, k next row for turning ridge as before. K 1 row, p 1 row for 5 rows for facing. Bind off.

FRONT—Work same as back.

FINISHING—Sew side seams. Turn back facings along turning ridges and hem to wrong side, leaving a 1 in. opening to insert elastic. Block, stretching 1 in. in length, see page 27.

Style No. 8816 (Continued from Page 16)

Neck Border—With size 4 needles and A, k 1 row.

Border Ridges—wrong side—K 1 row. P 1 row.
Work stockinette st—p 1 row, k 1 row —for 1 in., end with k row.

Turning Ridges—wrong side—K 1 row, p 1 row, k 1 row.

Neck Facing—K 1 row, p 1 row for 1 in. Bind off.

FRONT—Work same as back until 13 ins. above border, end on wrong side.

Divide for Neck—K 43 (46-48) sts for left half of front; slip next st to safety pin for neck border; slip remaining 43 (46-48) sts to another holder for right half of front.

Left Half of Front—Work 3 rows even, end with p row.

Neck dec. row — K to within 3 sts of end, k 2 tog., k 1. Repeat neck dec. every 4th row 8 times; every 6th row 3 times, at same time, shaping armhole as on right side of back when same length as back to underarm; 23 (24-25) sts. Work even until same length as back to shoulder.
Shape shoulder as for right side of back.

Right Half of Front—From wrong side **with size 5 needles, slip 43 (46-48) sts** from holder. Join B at neck edge, k 1 row, p 1 row for 4 rows, end at neck edge.

Neck dec. row—K 1, slip, k and pass, k to end. Finish to correspond to left half, reversing shaping.

FRONT NECK BORDER — With size 4 needles and A, from right side, pick up and k 58 (60-62) sts on left neck edge, k the st from pin, and mark this st for center st, pick up and k 58 (60-62) sts on right neck edge; 117 (121-125) sts.

Row 1 — wrong side — K for border ridge.
Row 2—border ridge—P to within 2 sts of marked center st; p 2 tog., p 1, p 2 tog., p to end; 115 (119-123) sts.
Row 3—P.
Row 4—K to within 2 sts of center st, k 2 tog., k 1, slip, k and pass, k to end; 113 (117-121) sts.
Repeat last 2 rows twice; 109 (113-117) sts.
Row 9—wrong side—K for first turning ridge.
Row 10—Same as row 2; 107 (111-115) sts.
Row 11—K for 3rd turning ridge.
Neck Border Facing — Row 12 — K to within 2 sts of center st, inc. 1 st in next st, k 2, inc. 1 st in next st, k to end; 109 (113-117) sts.
Row 13—P.
Repeat last 2 rows twice; 113 (117-121) sts. Bind off loosely. Sew shoulder seams.

ARMHOLE BORDERS — With size 4 needles and A, from right side, pick up and k 92 (96-100) sts.
K 1 row. P 2 rows. K 1 row. P 1 row. K 1 row. P 1 row.
Dec. Row—K 33 (35-37) sts, * k 2 tog., k 3; repeat from * 5 times, k to end; 86 (90-94) sts.
Wrong side—K 1 row. P 1 row. K 2 rows. P 1 row. K 1 row. P 1 row.
Inc. row—K 33 (35-37) sts, inc. 1 st in next st, * k 3, inc. 1 st in next st; repeat from * 4 times, k to end; 92 (96-100) sts.
P 1 row, k 1 row, p 1 row. Bind off.

FINISHING — Sew underarm seams. Turn back facing at turning ridges and hem to wrong side.
Soufflé needs no blocking, see page 27

GORED SKIRT

Instructions are for skirt 24 ins. long. Make any necessary adjustment in length before first and between next 3 dec. rounds.
With size 5 circular needle and A, cast on 360 (360-380) sts for lower edge. Join with care not to twist sts on needle. Mark end of round.
Round 1—* K 12, p 8; repeat from * to end of round.
Repeat round 1 until 3 (3-4) ins. from lower edge.
First dec. round—Dec. 1 st in center of each k and p rib; 324 (324-342) sts.
Next round—* K 11, p 7: repeat from * to end.
Repeat dec. round every 4 (4-5) ins. 4 (4-3) times; every 3 ins. once, having 1 st less in each rib, after each dec. round; 144 (144-190) sts. Work pat. for 1 in.
For Size 12 only—* K 6, p 2 tog.; repeat from * to end of round; 126 sts.
(For Size 14 only—K 6, * p 2 tog., work 22 sts in pat.; repeat from * to end of round; ending with 16 sts in pat.; 138 sts.
For Size 16 only — Repeat first dec. round; 152 sts).
For all sizes—Work even in pat. until 24 ins. from lower edge.
P 1 round for turning ridge. K 6 rounds for hem facing. Bind off.

FINISHING — Turn back facing along turning ridge and hem to wrong side leaving a 1 in. opening to insert elastic. Soufflé requires no blocking, see page 27.

Style No. 8802 (Continued from Page 19)

side; 17 (18-19) sts. Dec. 1 st at neck edge every row 4 times; every 2nd row 2 times, shaping shoulder as for left side of back when armhole is same length. Take up 17 (18-19) sts of left side, join yarn at neck edge and finish to correspond to right side. Do not break yarn.

NECK RIBBING—With size 6 needles, from right side, pick up and k 18 sts on left side of neck, take up and k 20 sts of front neck, pick up and k 18 sts on right side of neck; 56 sts.
Work k 2, p 2 ribbing for same number of rows as on back neck ribbing. Bind off loosely in ribbing.
Sew shoulder seams. Sew edges of neck ribbing tog. so that seam will be on wrong side when collar is turned back.

ARMHOLE RIBBING — With size 6 needles, from right side, beg. at underarm edge of left front armhole, pick up and k 3 sts in 3 bound-off sts, 70 (74-78) sts on armhole edge, 3 sts in 3 bound-off sts of back armhole; 76 (80-84) sts. Work k 2, p 2 ribbing for ¾ in. Bind off in ribbing.
Work ribbing on right armhole to correspond.

FINISHING — Sew underarm seams. Steam lightly, see page 27.

Style No. 8813 *(Shown on Front Cover)*

Sizes 12, 14, 16

Instructions are for size 12, changes for sizes 14 and 16 are in parentheses, *see body measurement chart,* page 27.

MATERIALS: BEAR BRAND, FLEISHER'S or BOTANY *Machine Washable* SOUFFLÉ

Size 12	Size 14	Size 16
3 balls	3 balls	4 balls

KNITTING NEEDLES: 1 pair "Boye" Needles, Size 5— OR SIZE YOU REQUIRE TO OBTAIN GAUGE.
1 pair "Boye" Needles, Size 4.
"Boye" Steel Hook, Size 2.

GAUGE: Size 5 Needles — 5 sts = 1 inch 7 rows = 1 inch
To check gauge, see page 27.

MEASUREMENTS OF GARMENT:	To fit	32 in. Bust	34 in. Bust	36 in. Bust
Width at bustline	inches	34	36	38

BACK—With size 4 needles, cast on 86 (90-96) sts. Work k 1, p 1 ribbing for 1 in.

With size 5 needles, work stockinette st — k 1 row, p 1 row — until 9 ins. above ribbing, end on wrong side. Mark for underarm.

Armholes—Bind off 5 (5-6) sts at beg. of each of next 2 rows. Dec. 1 st each side of next row. Repeat dec. each side every 2nd row 4 (5-6) times; 66 (68-70) sts. Work even until 7½ (7¾-8) ins. above underarm marker, end on wrong side.

Shoulder Shaping—Bind off 6 (7-8) sts at beg. of each of next 2 rows; 6 sts at beg. of each of next 4 rows; 30 sts. Work k 1, p 1 ribbing for 2½ ins. Bind off in ribbing.

FRONT—Work same as back until 5 ins. above underarm marker, end on right side; 66 (68-70) sts.

Divide for Neck — P 24 (25-26) sts, place on holder for right half of front, p 18, place on holder for neck; p 24 (25-26) sts for left half of front.
Working on sts of left half, work 1 row even. Bind off 2 sts at beg. of next row. Repeat bind-off at neck edge every 2nd row twice; 18 (19-20) sts. Work even until armhole measures same as right armhole of back, end on wrong side. Shape shoulder as for right shoulder of back.
Take up 24 (25-26) sts of right half from holder. Join yarn at neck edge, bind off 2 sts at beg. of row. Finish to correspond to left half of front.

FRONT NECK RIBBING — With size 5 needles, take up 18 sts of neck from holder. With free size 5 needle, beg. at left shoulder, pick up and k 17 sts along left neck edge, k across 18 sts of neck, pick up and k 17 sts along right neck edge to shoulder; 52 sts. Work k 1, p 1 ribbing for 2½ ins. Bind off loosely in ribbing.

Sew shoulder seams. Sew side edges of neck ribbing tog.

ARMHOLE RIBBING — With size 4 needles, from right side, beg. at underarm, pick up and k 72 (74-76) sts around armhole. Work k 1, p 1 ribbing for 1 in. Bind off in ribbing.

FINISHING—Sew side seams. Sew side edges of armhole ribbing tog. Fold neck ribbing in half and hem bound-off edge to wrong side. Soufflé needs no blocking, see page 27.

INSTRUCTIONS FOR SKIRTS TO WEAR WITH THIS SHELL ON PAGES 20 AND 21.

Style No. 8829 *(Continued from Page 8)*

Armhole Borders—Join yarn at underarm seam, from right side, work 7 (7) sc across 3 shells left off for underarm, 1 sc in each space around armhole, 7 (7) sc across 3 shells at underarm. Join with a sl st.

Row 2—Work same as around vest.

CROCHETED TIES—make 2—With loop on hook and double strand of yarn, work a ch 12 ins. long. Fasten off.

Sew 1 tie to each front at beg. of neck shaping. Steam lightly.

Style No. 8830 *(Shown on Page 9)*

MATERIALS: BUCILLA STRAWTEX, 24 yd. skeins, 5 skeins

CROCHET HOOK: "Boye" Steel Crochet Hook, Size 00

ROW GAUGE: 2 mesh rows = 1 inch To check gauge, see page 27.

Ch 3, join with a sl st to form a ring.

Round 1—Work 10 sc in ring.

Round 2—Work 2 sc in each st; 20 sts.

Round 3—* Work 1 sc in first st, 2 sc in next st; repeat from * around. Continue to inc 10 sts in each round twice more; 60 sc.

Mesh Pattern—Round 1—Ch 4, skip 1 st, work 1 hdc in next st, * ch 2, skip 1 st, work 1 hdc in next st, repeat from * around; join with a sl st in top of ch of beg of round; 30 meshes.

First Inc. Round—Ch 4, work same as round 1, working 2 hdc with ch 2 between in every 5th mesh around.

Round 3—Same as round 1; 38 meshes.

Second Inc. Round—Ch 4, work same as round 1, working 2 hdc in every 4th mesh around;

Round 5—Same as Round 1; 48 meshes.

Third Inc. Round—Same as First Inc. Round.

Rounds 7, 8 and 9—Same as round 1; 58 meshes.

HEAD BAND—Round 10—Work 1 sc into each mesh around.
Continue working 1 sc in each st around for 1 inch. Fasten off.

Style No. 8804 (Continued from Page 15)

Continuing 4 sts each side in ribbing and 56 (60) sts in stockinette st, work even until 6¼ (7) ins.—above underarm marker, end with k row.

Divide for Neck—Work 20 (22) sts and place on strand of yarn for left half of back, p 24 (24) sts and place on another strand of yarn, work remaining 20 (22) sts for right half of back.

Continuing 4 sts in ribbing at armhole edge, dec. 1 st at neck edge every row 3 times; 17 (19) sts. Work even until 7¼ (8) ins. above underarm marker, end at armhole edge with p row.

Shoulder Shaping—Bind off 8 (9) sts at beg. of next row, finish row; 9 (10) sts. Work 1 row even. Bind off remaining 9 (10) sts.

From wrong side, with size 9 needles, take up 20 (22) sts of left half from strand of yarn. Join yarn at neck edge. Continuing 4 sts in ribbing at armhole edge, dec. 1 st at neck edge every row 3 times. Finish to correspond to other half.

BACK NECK RIBBING—From right side, beg. at right shoulder, with size 6 needle, pick up and k 12 (12) sts on right neck edge; slip 24 (24) sts from strand of yarn to free size 6 needle and k them, pick up and k 12 (12) sts on left neck edge; 48 (48) sts. Work k 1, p 1 ribbing for 1 in. Bind off loosely in ribbing.

FRONT—Work same as back.

FRONT NECK RIBBING — From right side, beg. at left shoulder, work ribbing same as on back.

FINISHING—Sew underarm and shoulder seams. Sew side edges of neck ribbing tog. Block, see page 27.

Style No. 8810 (Continued from Page 15)

Next row—P. Repeat last 2 rows 2 (4) times; 57 (61) sts. Work even until 27 (29) rows —about 5½ (6) ins. — above underarm marker, end on right side.

Neck and Shoulder Shaping—P 18 (20) sts, place on holder for left half of back, bind off next 21 sts for neck. P remaining 18 (20) sts for right half of back.

Dec. row—right side—Working on sts of right half of back, work to within 3 sts of end, k 2 tog. inserting needle in *front* of st, k 1.

Next row—P.

Repeat last 2 rows 3 times; 14 (16) sts. K 1 row, p 1 row. Armhole should have 38 (40) rows—about 7½ (8) ins. above armhole marker, end at armhole edge. Bind off 7 (8) sts from armhole edge twice.

Left Half of Back—With size 11 needle, take up 18 (20) sts of left half of back, join yarn at neck edge.

Dec. row—K 1, slip, k and pass, work to end. P 1 row.

Work to correspond to right half of back.

FRONT—Work same as back.

FINISHING—Sew shoulder and side seams.

CROCHET TRIM—Row 1—Beg. at underarm seam of armhole, work 1 row sc around armhole, join with slip st.

Row 2—From right side, working *from left to right*, * with loop on hook, insert hook in next st to right of hook, yo and draw up a loop, yo and draw through 2 loops on hook; repeat from * around armhole. Fasten off.

NECK TRIM—Beg. at left shoulder seam, from right side, work 1 row sc around neck edge. Work next row same as row 2 of armhole. Block, see page 27.

Style No. 8809 (Continued from Page 16)

Neck Shaping—Ch 2, turn; 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * 8 (10) times; work 1 sc in each mesh to end. Fasten off.

Beg. at neck edge, join yarn in first hdc, ch 2, work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * across row, end ch 1, 1 hdc in ch-2 space; 10 (12) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from *, end ch 1, 1 hdc in ch-2 space. Fasten off.

FRONT—Work same as for back until 9 rows above armhole marker, end on right side.

Neck and Shoulder Shaping—Ch 2, turn; work 10 (12) mesh for right half of front, work 1 sc in each of next 17 mesh for neck, ch 2, work 1 hdc in next mesh, * ch 1, 1 hdc in next mesh; repeat from * to end for other half of front; 10 (12) mesh.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * to end.

Repeat last row 5 times. Fasten off.

Beg. at neck edge of right half of front, join yarn in first hdc, ch 2, work 1 hdc in next mesh, * ch 1, 1 hdc in next mesh; repeat from * across row.

Next row—Ch 2, turn; work 1 hdc in first mesh, * ch 1, 1 hdc in next mesh; repeat from * across row.

Repeat last row 4 times, end on wrong side at neck edge. Fasten off.

FINISHING—Sew shoulder seams. Sew underarm seams from lower edge to armhole markers.

Beg. at underarm seam at lower edge of garment, from right side, work 1 row sc around entire lower edge. Beg. at underarm seam, work 1 row sc around each armhole. Beg. at lower edge of left back opening, from right side, work 1 row sc around entire neck edge to lower edge of right back opening, keeping work flat. Block, see page 27.

Style No. 8827 (Continued from Page 12)

Continuing garter st facings, repeat neck dec. row every 2nd row 10 times; every 4th row 7 (8-9) times, shaping shoulder as on right side of back when same length, end at front edge; 7 sts.

BACK NECK BORDER—Row 1—wrong side—K 6, p 1.

Row 2—K.

Repeat these 2 rows for 2¾ ins. Bind off.

Mark position of 4 buttons on left front, having lower button in center of waistband, next button about 1¾ ins. above waistband; top button 4 rows below first neck dec., remaining button evenly spaced between top button and next button.

RIGHT FRONT—With size 6 needles, cast on 51 (54-57) sts.

Row 1—wrong side—K.

Row 2—K 6 for front facing, with yarn at back, slip 1 st as to p, k to end.

Repeat these 2 rows until 13 rows from beg., end at front edge.

Buttonhole rows—K 2, bind off 2 sts, work until 5 sts from bind-off; bind off 2 sts, work to end. On next row, cast on 2 sts over each buttonhole.

Continue waistband until same length as waistband of back, end on wrong side at front edge. Mark for end of waistband. With size 8 needles, k all sts; cast on 4 sts for underarm facing; 55 (58-61) sts.

Next row—K 4 for garter st underarm facing, p to within 6 sts of end, k 6 for garter st front facing.

K next row. Repeating buttonholes opposite markers, work to correspond to left front up to first neck dec., end at front edge.

Neck dec. row—right side—K 12, slip, k and pass, k to end.

Work to correspond to left front to back neck border, shaping shoulder at opposite side when same length as left side of back to shoulder, end at front edge; 7 sts.

BACK NECK BORDER—Row 1—right side—K.

Row 2—P 1, k 6. Finish to correspond to left front.

FINISHING—Sew shoulder seams. Sew side edges of back neck border tog. Sew inner edge of border to back neck edge. Turn back front and back neck facing and hem to wrong side. Sew front and facing at lower edge. Turn back underarm facings and hem to wrong side. Sew underarm edges of waistband tog. from lower edge to markers. Finish buttonholes in blanket st, working through double thickness. Steam lightly, see page 27.

Style No. 8828 (Continued from Page 12)

Next row—With size 9 needles, k to within 8 sts of end, sl 2 as before, k 6. P 1 row.

Repeat last 2 rows until 108 rows above ribbing, end with p row.

First neck dec. row—K to within 16 sts of end, k 2 tog., place marker on right needle, finish row as before.

Work 3 rows even, carrying up marker.

2nd dec. row—K to within 2 sts of marker, k 2 tog., sl marker, finish row. Repeating 2nd dec. row every 4th row, work until 122 (120) rows above ribbing, end on wrong side. Mark for underarm.

Armhole—Bind off 8 (9) sts, finish row repeating dec. at neck edge as before on **size 16-18 only**. Dec. 1 st at armhole edge every 2nd row 7 (8) times, **at the same time,** continue neck dec. as before until 15 sts in all have been decreased at neck edge; 26 (28) sts. Work 1 row even after last neck dec.—44 (46) rows above underarm marker, end on wrong side.

Shoulder—Row 1—Bind off 3 (4) sts, finish row. Work 1 row even.

Repeat last 2 rows once.

Row 5—Bind off 3 sts, finish row. Work 1 row even.

Row 7—Same as row 5; 14 sts.

Work 18 rows even for back neckband and facing, slipping turning sts every k row as before. Break yarn, sl sts to holder.

RIGHT FRONT—With size 6 needles, cast on 56 (60) sts.

Row 1—* P 2, k 2; repeat from * to within 8 sts of end, p 8.

Row 2—right side—K 6 for facing, sl next 2 sts as to p for turning sts, * p 2, k 2; repeat from * to end.

Row 3—Same as row 1.

Row 4—Buttonholes—K 2, bind off next 2 sts for buttonhole, work until 6 sts from buttonhole slipping turning sts, bind off next 2 sts for buttonhole, work ribbing to end.

Row 5—Work as for row 1, casting on 2 sts over each buttonhole.

Next row—With size 9 needles, k 6, sl next 2 sts as before, k to end.

P 1 row. Repeat last 2 rows until 16 rows above buttonholes. Work 2nd set of buttonholes on next 2 rows. Repeat buttonholes every 17th and 18th row 5 times more, end on wrong side—108 rows above ribbing.

First neck dec. row—K 6, sl 2, k 6, SKP, k to end.

Repeat neck dec. every 4th row 3 times. Work 2 rows even on **size 12-14 only**—123 (121) rows above ribbing. Mark for underarm.

Armhole—Bind off 8 (9) sts, finish row.

Dec. 1 st at armhole edge every k row 7 (8) times, **at the same time,** continue neck dec. as before until 15 sts in all have been decreased at neck edge; 26 (28) sts. Work 2 rows even after last neck dec.—44 (46) rows above underarm marker, end on right side.

Shoulder—Bind off 3 (4) sts, finish row. Work 1 row even.

Repeat last 2 rows once.

Row 5—Bind off 3 sts, finish row. Work 1 row even.

Row 7—Same as row 5; 14 sts.

Work 18 rows even for back neckband and facing, slipping turning sts every k row.

Break yarn, leaving 14-in. end for weaving. Sl sts to holder.

POCKETS—Make 2. With size 9 needles, cast on 26 sts for lower edge. Work St. st—p 1 row, k 1 row—for 33 rows, end on wrong side with p row.

Ribbing—Row 1—With size 6 needles, k 2, * p 2, k 2; repeat from * to end.

Row 2—P 2, * k 2, p 2; repeat from * to end.

Repeat last 2 rows once. Bind off in ribbing. Sew shoulder seams.

ARMHOLE BORDER—With size 6 needles, beg. at underarm edge, from right side pick up and k 74 (78) sts evenly spaced around armhole. Repeat rows 2 and 1 of pocket ribbing until 5 rows ribbing. Bind off in ribbing.

FINISHING — Sew underarm seams, sewing edges of armhole border tog. Weave ends of back neckband and facing tog.

Sew inner edge of neckband to back neck edge. Turn front and neck facings to wrong side at turning sts and hem. Finish buttonholes in blanket st, working through both thicknesses of front and facing. Sew ends of front and facing tog. at lower edge of each front. Sew pocket on each front as illustrated with cast-on edge at top of ribbing and front edge about 3½ ins. from turning sts. Block, see page 27.

Sew buttons on left front opposite buttonholes.

Style No. 8822 (Continued from Page 5)

next row. Continuing to work eyelet row every 8th row, dec. 1 st each side every 2nd row 5 (7) times more; 61 (65) sts. Work even in pat. until about 5 (5½) ins. above underarm, end with k row—4 rows above 11th eyelet row.

Neck and Shoulders—P 21 (23), put on holder for left side, p 19, put on holder for neck, p remaining 21 (23) sts.

Right Side—Keeping pat., dec. 1 st at neck edge **every** row 6 times; 15 (17) sts. Work even until about 7½ (8) ins. above underarm, end at armhole edge 1 row above 13th eyelet row. Bind off 5 sts at beg. of next row. Bind off 5 (6) sts at beg. of every 2nd row twice.

Left Side—From wrong side, slip 21 (23) sts from holder to size 7 needle. From right side, join yarn at neck edge, dec. 1 st and complete to correspond to right side, reversing shaping.

Neck Band—From wrong side, slip 19 sts from holder to size 7 needle. From right side join yarn at right neck edge at shoulder. With free size 7 needle, pick up and k 18 sts along right neck edge, k 19, pick up and k 18 sts along left neck edge to shoulder. P 1 row, k 1 row, p 1 row. With size 5 needles, work eyelet row. P 1 row, k 1 row, p 1 row for facing. Bind off loosely.

FRONT—Work same as for back. Sew shoulder seams.

Armhole Facings—From right side beg. at underarm, pick up and k 71 (81) sts. around armhole. P 1 row, k 1 row, p 1 row. With size 5 needles, work eyelet row. P 1 row, k 1 row, p 1 row. Bind off loosely.

FINISHING—Sew side seams matching eyelets. Turn up hem facing at lower edge at first eyelet row and hem to wrong side. Turn down neck and armhole facing at eyelet row and hem to wrong side.

Soufflé needs no blocking, see page 27.

INSTRUCTIONS FOR SKIRTS TO WEAR WITH THIS SHELL ON PAGES 20 AND 21.

Style No. 8818 (Continued from Page 6)

Sizes	12	14	16	18
Left Half—Continue stockinette st, decreasing 1 st at neck edge every row 10 times.....sts	14	16	17	17
Work even until armhole measures.....ins.	7½	7½	8	8
end at armhole edge.				
Shoulder Shaping—Bind off at beg. of next row.....sts	7	8	9	9
Work 1 row even. Bind off.....sts	7	8	8	8
Right Half—Take up sts of right half. Join yarn at neck edge and complete to correspond to left half.				
FRONT—Work same as back until armhole measures.....ins.	4½	4½	5	5
above underarm marker, end with p row.				
Divide for Neck—K and place on holder.....sts	26	28	29	29
bind off for neck edge.....sts	15	15	15	16
finish row .....sts	26	28	29	29
Continue stockinette st, decreasing 1 st at neck edge every row 12 times.....sts	14	16	17	17
Work even until armhole is same length as on back. Bind off for shoulder as on back. Take up sts of other half. Join yarn at neck edge and complete to correspond to first side.				
FINISHING—Sew shoulder and underarm seams. Soufflé requires no blocking, see page 27.				
CROCHET BORDERS—Lower Edge—From right side, work.....sc	168	176	184	192

around lower edge; join with slip st.

Round 2—Ch 3 (counts as first dc), * skip 1 sc of previous row, 1 dc in next sc, ch 1; repeat from * around, end with slip st in 2nd ch at beg. of round.

Round 3—* Ch 5, skip 1 dc of previous row, work slip st in top of next dc; repeat from *; join with slip st.

Round 4—Work 3 slip sts to center of ch 5, * ch 5, 1 sc under next ch 5; repeat from *; join with slip st.

Round 5—Slip st to center of ch-5 loop, 1 sc under this ch-5 loop, * 5 dc under next ch-5 loop, 1 sc under next ch-5 loop; repeat from *; join with slip st in sc at beg. of round. Fasten off.

Neck Edge—Beg. at right shoulder, work 104 sc around neck edge; join with slip st.

Rounds 2, 3 and 4—Same as lower edge.

Round 5—Same as round 5 on lower edge, working **4 dc** in each shell. Fasten off.

Sleeve Border—Join yarn at underarm seam, from right side, work 80 sc for sizes 12 and 14 and 88 sc for sizes 16 and 18; join with slip st. Place marker for beg. of round.

Round 2—Same as round 2 of lower edge.

Round 3—Same as round 3 of lower edge. Fasten off.

Round 4—Skip first loop of round 3, work 1 sc under next loop, continue as for round 4 of lower edge to within 1 loop of end of round 3. Fasten off.

Round 5—Work 1 sc at center of first loop of round 3, * 4 dc in next loop of round 4, 1 sc in next loop; repeat from *, end 1 sc in last loop of round 3; join with slip st. Fasten off.

E-Z REFERENCE GAUGE AND INTERCHANGEABLE YARN CHART

HOW TO USE THIS CHART: — This is a new type of interchangeable yarn and stitch gauge chart.* It will help you to quickly and easily select interchangeable yarns by stitch gauge as follows: —

Step 1. **Choose garment you wish to make.**

Step 2. **Refer to the stitch gauge given in the instructions for the garment selected.**

Step 3. **Then refer to the same stitch gauge in this chart.**

Step 4. **Garment can be made of any yarn listed for that same stitch gauge on this chart. Check quantities required as yardages may vary in different types of yarns. The numbers in parentheses ( ) indicate approximate yardage per unit.**

In some instances the row gauge may differ though stitch gauge is the same. Where row gauge differs, this is overcome by knitting more or less rows to obtain required length designated in the instructions. For Raglans, however, you must get row gauge.

*** Gauges listed are based on stockinette stitch before blocking.**

STITCHES ROWS	NEEDLE SIZE	BEAR BRAND YARNS	FLEISHER YARNS	BOTANY YARNS
7 sts = 2 inches 9 rows = 2 inches	**10½**	Supra Mohair (80)	Supra Mohair (80)	Supra Mohair (80)
4 sts = 1 inch 5 rows = 1 inch	**10**	Bucilla Melody (100) worked with: "Wool & Shetland Wool" (170) or Scottie (170)		
		Supra Mohair (80)	Supra Mohair (80)	Supra Mohair (80)
9 sts = 2 inches 6 rows = 1 inch	**9**	Winsom (180)† "Wool & Shetland Wool" (170)	Winsom (180)† "Wool & Shetland Wool" (170)	Winsom (180)† Scottie (170)
	8	Supra Mohair (80)	Supra Mohair (80)	Supra Mohair (80)
5 sts = 1 inch 7 rows = 1 inch	**8**	Winsom (180)† "Wool & Shetland Wool" (170) Bucilla Angora (39)	Winsom (180)† "Wool & Shetland Wool" (170) Angora (39)	Winsom (180)† Scottie (170)
	7	Bucilla Melody (100)		
	6	Twin-Pak Ombree Win-Knit (245)† Twin-Pak Win-Knit (280)† Twin-Pak Knitting Worsted (270) Twin-Pak Ombree Ktg. Wstd. (235)	Twin-Pak Ombree Win-Knit (245)† Twin-Pak Win-Knit (280)† Twin-Pak Knitting Worsted (270) Twin-Pak Ombree Ktg. Wstd. (235)	Twin-Pak Ombree Win-Knit (245)† Twin-Pak Win-Knit (280)† Twin-Pak Ktg Wstd (270) Twin-Pak Ombree Ktg. Wstd. (235)
	5	Soufflé (175)	Soufflé (175)	Soufflé (175)
6 sts = 1 inch 9 rows = 1 inch	**5**	Bucilla Tiara (180) Bucilla Paradise (88) Bucilla Brocade (100)		
	4	Bucilla Varitone (90) Bucilla Flamé (120) Bucilla Win-Lite (90)††		
	3	Bucilla Halo (95) Bucilla Multi (190)		

†100% DuPont Orlon® Acrylic Fibre

††85% DuPont Orlon® Acrylic Fibre • 15% Textralized Nylon

E-Z REFERENCE GAUGE AND INTERCHANGEABLE YARN CHART

HOW TO USE THIS CHART: — This is a new type of interchangeable yarn and stitch gauge chart.* It will help you to quickly and easily select interchangeable yarns by stitch gauge as follows: —

Step 1. **Choose garment you wish to make.**

Step 2. **Refer to the stitch gauge given in the instructions for the garment selected.**

Step 3. **Then refer to the same stitch gauge in this chart.**

Step 4. **Garment can be made of any yarn listed for that same stitch gauge on this chart. Check quantities required as yardages may vary in different types of yarns.**
The numbers in parentheses ( ) indicate approximate yardage per unit.

In some instances the row gauge may differ though stitch gauge is the same. Where row gauge differs, this is overcome by knitting more or less rows to obtain required length designated in the instructions. For Raglans, however, you must get row gauge.

*** Gauges listed are based on stockinette stitch before blocking.**

STITCHES ROWS	NEEDLE SIZE	BEAR BRAND YARNS	FLEISHER YARNS	BOTANY YARNS
7 sts = 2 inches **9 rows = 2 inches**	**10½**	Supra Mohair (80)	Supra Mohair (80)	Supra Mohair (80)
4 sts = 1 inch **5 rows = 1 inch**	**10**	Bucilla Melody (100) worked with: "Wool & Shetland Wool" (170) or Scottie (170)		
		Supra Mohair (80)	Supra Mohair (80)	Supra Mohair (80)
9 sts = 2 inches **6 rows = 1 inch**	**9**	Winsom (180)† "Wool & Shetland Wool" (170)	Winsom (180)† "Wool & Shetland Wool" (170)	Winsom (180)† Scottie (170)
	8	Supra Mohair (80)	Supra Mohair (80)	Supra Mohair (80)
5 sts = 1 inch **7 rows = 1 inch**	**8**	Winsom (180)† "Wool & Shetland Wool" (170) Bucilla Angora (39)	Winsom (180)† "Wool & Shetland Wool" (170) Angora (39)	Winsom (180)† Scottie (170)
	7	Bucilla Melody (100)		
	6	Twin-Pak Ombree Win-Knit (245)† Twin-Pak Win-Knit (280)† Twin-Pak Knitting Worsted (270) Twin-Pak Ombree Ktg. Wstd. (235)	Twin-Pak Ombree Win-Knit (245)† Twin-Pak Win-Knit (280)† Twin-Pak Knitting Worsted (270) Twin-Pak Ombree Ktg. Wstd. (235)	Twin-Pak Ombree Win-Knit (245)† Twin-Pak Win-Knit (280)† Twin-Pak Ktg Wstd (270) Twin-Pak Ombree Ktg. Wstd. (235)
	5	Soufflé (175)	Soufflé (175)	Soufflé (175)
6 sts = 1 inch **9 rows = 1 inch**	**5**	Bucilla Tiara (180) Bucilla Paradise (88) Bucilla Brocade (100)		
	4	Bucilla Varitone (90) Bucilla Flamé (120) Bucilla Win-Lite (90)††		
	3	Bucilla Halo (95) Bucilla Multi (190)		

†100% DuPont Orlon® Acrylic Fibre

††85% DuPont Orlon® Acrylic Fibre • 15% Textralized Nylon

HELPFUL INFORMATION

STITCH GAUGE—*Important*—Knitted garments are planned on the basis of working to a specified number of stitches and rows to 1 inch; this is referred to as the GAUGE. Required gauge is given at beginning of instructions. If this gauge is not obtained the finished garment will not be the correct size. The size needles recommended will give the average knitter the correct gauge. However, if you do not obtain the gauge required, change the size needles to conform to the tension of your individual knitting; if your knitting is too loose use smaller size needles to tighten gauge; if your knitting is too tight, use larger size needles to loosen gauge. You MUST get gauge given to insure proper size of finished garment.

COMPLETE ABBREVIATIONS

k—knit	tog.—together	ch—chain
p—purl	beg.—beginning	sc—single crochet
st(s)—stitch(es)	pat.(s.)—pattern(s)	hdc—half double crochet
inc.(s.)—increase(s)	in.(s.)—inch(es)	
dec.(s.)—decrease(s)	yo—yarn over	dc—double crochet

slip, k and pass—slip 1, k 1, pass the slipped st over the knitted st.

SLIP ST—Pass st from one needle to another without working it. Unless otherwise specified, always slip st as to P, **except** when dec.—as in slip, K and pass—, then slip as to K.
An asterisk (*) indicates that the instructions immediately following are to be repeated the given number of times in addition to the original.
Double star (**) and Dagger (†) are used in the same way.

INSTRUCTIONS WRITTEN IN MORE THAN ONE SIZE — Where changes for additional sizes are given in parentheses or columns —the (0) zero is used to indicate that no sts or ins. are worked for that particular size.
For example:—"k 2 (0-2), p 2, k 2" means that first size would be k 2, p 2, k 2; second size would be p 2, k 2; third size would be k 2, p 2, k 2.

MEASUREMENTS OF GARMENTS—The sizes of garments in this book are based on the standard body measurements given below. In the instructions an allowance has been made over the body measurements to give sufficient ease and insure correct fit. This allowance varies according to the style of garment, stitch, type of yarn, and gauge of knitting. To determine which size garment you should make, take your own accurate body measurements. Then use instruction for size with body measurements nearest to your own body measurements. If adjustment is necessary be sure to allow the same number of inches over the body measurements as allowed on garment you intend to make. See standard body measurement charts below.

WOMAN'S STANDARD BODY MEASUREMENTS

Sizes	10	12	14 (32)	16 (34)	18 (36)
Bust	30 ins.	32 ins.	34 ins.	36 ins.	38 ins.
Waist	24 ins.	25 ins.	26 ins.	28 ins.	30 ins.
Hip (7 ins. below waist)	32 ins.	34 ins.	36 ins.	38 ins.	40 ins.

MARKERS—Place rings of plastic. metal or yarn on needle where indicated in instructions. To "carry marker," slip it from left needle to right needle without working it.

FOR SOUFFLÉ GARMENTS ONLY

SOUFFLÉ—Needs no blocking.

SOUFFLÉ is:

1. **MACHINE WASHABLE**—Set washing machine for "delicate fabrics" with warm water.
2. **HAND WASHABLE**—Easy and quick to wash. Use any mild detergent or mild soap in warm or cool water. Rinse well and thoroughly at least twice; squeeze out excess water, roll in towel.
   Lay garment flat on smooth surface, shape and pin to original size. Allow to dry. DO NOT HANG TO DRY.
3. **DRIES QUICKLY**—If washed by machine, lay garment flat and dry as for hand washing (see No. 2). *Machine drying is not recommended.*
4. **NEEDS NO BLOCKING**—Soufflé actually needs no blocking when properly dried. If desired, place damp cloth on wrong side of garment then pat lightly (do NOT press) with warm (not hot) iron.
5. **PERMANENTLY MOTH PROOF**—Store it anywhere in perfect safety. Soufflé is permanently moth proof.
6. DO NOT DRY CLEAN.

BROCADE—Instructions are written with allowance for stretch. Pieces should be blocked to given measurements.

BLOCKING OR STEAMING—To give a more tailored finish to knitted garments it is preferable to steam each piece separately. Care should be taken to block pieces to knitted shape. If the garment is sewn together first and blocked carefully after assembling, the result will also be satisfactory.

TO BLOCK OR STEAM SEPARATE PIECES—Lay pieces flat on pressing board, wrong side up, pin edges to board. Steam with moderately hot iron over a wet cloth, taking care not to let weight of iron rest upon any one spot. After blocking leave pinned until thoroughly dry. Do not steam ribbing.

TO BLOCK OR STEAM FINISHED GARMENT—Lay flat on pressing board, wrong side out, pin to board. Steam first one side and when dry, steam other side.
After blocking leave pinned until thoroughly dry, then steam all seams and crocheted edges. *Do not steam ribbing.*

NOTE—Be sure to buy sufficient yarn of each color in the same dye lot number to complete the article.

NOTE—To bring out the full beauty of Mohair type yarns we suggest that you brush the completed garment lightly with a plastic brush.

"BOYE" Products are used exclusively by our design staff in creating the fashions illustrated in this book and are specified herein in accordance with an agreement whereby the publishers receive consideration for such specification.

The directions in this book are carefully checked and rechecked to assure accuracy. We cannot, however, be responsible for typographical errors or misinterpretation of instructions.

Printed in U.S.A.- 25

SHELLS AND VESTS

FOR EVERY OCCASION...

TO KNIT AND CROCHET

New!
Instructions Included For
MATCHING SKIRTS

No. 8813
(Page 22)

VOL. 88 –60¢
Revised Edition

FLEISHER · *Bear Brand* · BOTANY